



## 188449 BAIKAL WARM

10mm 90x90 cm./35.4x35.4in. • M965

### Información Técnica / Technical Information

| Icono | Prueba                            | Norma                | Resultado             |
|-------|-----------------------------------|----------------------|-----------------------|
|       | DIMENSIONS                        | UNE EN ISO 10545-2   | ± 0,5%                |
|       | WATER ABSORPTION                  | UNE EN ISO 10545-3   | E ≤ 0.5%              |
|       | RESISTANCE TO SURFACE ABRASION    | UNE EN ISO 10545-7   | CLASE 3 / CLASS 3     |
|       | FLATNESS                          | UNE EN ISO 10545-2   | ± 0,5%                |
|       | CRAZING RESISTANCE                | UNE EN ISO 10545-11  | CUMPLE / ACCOMPLISH   |
|       | RESISTANCE TO STAINS              | UNE EN ISO 10545-14  | 5                     |
|       | CHEMICAL RESISTANCE SWIMMING-POOL | UNE EN ISO 10545-13  | GHB                   |
|       | SLIP RESISTANCE                   | UNE 41901 EX         | CLASE 0 / CLASS 0     |
|       | BREAKING STRENGTH                 | UNE EN ISO 10545-4:9 | >35 N/mm <sup>2</sup> |
|       | FROST RESISTANCE                  | UNE EN ISO 10545-12  | CUMPLE / ACCOMPLISH   |
|       | RESISTANCE TO THERMAL SHOCK       | UNE EN ISO 10545-9   | CUMPLE / ACCOMPLISH   |




3.??




??3mm????3??  
????????30X60??3????????????????????????????????  
?????????????????

??  
????????2mm??3mm?

DUNE??



??25%????????????????25%????????????????



????????LUX??

4.??

????????????????????????2mm??  
PH??

??

??

??  
?????????????  
??

5. ??????

????????????????????PH????????????????  
PVD????????????????????????????????pH????????

**Tabla de adhesivos / Adhesives Table**

|                  | <b>Cemento cola C1</b><br>C1 concrete glue             | <b>Cemento cola C2</b><br>C2 concrete glue | <b>Adhesivo epoxidico</b><br>Epozi adhesive |
|------------------|--|--|---|
| <b>KERAKOLL</b>  | <b>ESPECIAL ECO</b>                                    | <b>H 40 ECO FLEX</b>                       | <b>SUPERFLEX ECO</b>                        |
| <b>MAPEI</b>     | <b>TIXOBOND</b>  | <b>KERAFLEX MAXI S-1</b>                   | <b>KERALASTIC T</b>                         |
|                  | <b>Mortero adhesivo látex</b><br>Latex adhesive mortar |  |   |
| <b>LATICRETE</b> | <b>Mortar 211</b><br><b>+ Laticrete 4237</b>           |  |   |

**Productos de tratamiento / Treatment products**

|                         | <b>Código</b><br>Code | <b>Descripción</b><br>Description                              | <b>Código PHP recomendado</b><br>Recommended retail price |
|-------------------------|-----------------------|--|---|
| <b>CRISTAL</b><br>GLASS | 185463                | <b>ANTIGLISS</b>   | D787  |
| <b>PIEDRA</b><br>STONE  | 184507                | <b>CERA LIQUIDA PROTECTORA</b><br><b>LIQUID PROTECTIVE WAX</b> | D945  |
|                         | 184508                | <b>SELLADOR ANTIMANCHAS</b><br><b>STAIN-PROF SEALER</b>        | D969  |

**Tabla de pastas de rejuntar / Grouting pastes table**

|                  | <b>Pasta de rejuntar cementosa</b><br>Cement grouting material | <b>Pasta de rejuntar epoxi</b><br>Epoxy grouting material |
|------------------|--|---|
| <b>KERAKOLL</b>  | <b>FUGABELLA ECO PORCELANA</b>                                 | <b>FUGALITE</b>   |
| <b>MAPEI</b>     | <b>KERACOLOR FF</b>  | <b>KERAPOXY</b>   |
| <b>LATICRETE</b> | <b>LATICRETE serie 1600</b>                                    | -   |

